

James Madison University

JMU Scholarly Commons

Global CWD Repository

Center for International Stabilization and
Recovery

9-23-1998

DDASaccident250

HD-AID

Humanitarian Demining Accident and Incident Database

Follow this and additional works at: <https://commons.lib.jmu.edu/cisr-globalcwd>



Part of the [Defense and Security Studies Commons](#), [Peace and Conflict Studies Commons](#), [Public Policy Commons](#), and the [Social Policy Commons](#)

Recommended Citation

HD-AID, "DDASaccident250" (1998). *Global CWD Repository*. 450.
<https://commons.lib.jmu.edu/cisr-globalcwd/450>

This Other is brought to you for free and open access by the Center for International Stabilization and Recovery at JMU Scholarly Commons. It has been accepted for inclusion in Global CWD Repository by an authorized administrator of JMU Scholarly Commons. For more information, please contact dc_admin@jmu.edu.

DDAS Accident Report

Accident details

Report date: 18/05/2006	Accident number: 250
Accident time: not recorded	Accident Date: 23/09/1998
Where it occurred: Baghi Langak village, Jalriz, Wardak Province	Country: Afghanistan
Primary cause: Unavoidable (?)	Secondary cause: Unavoidable (?)
Class: Excavation accident	Date of main report: [No date recorded]
ID original source: none	Name of source: MAPA/UNOCHA
Organisation: Name removed	
Mine/device: Ordnance	Ground condition: dry/dusty hard route/path
Date record created: 17/02/2004	Date last modified: 17/02/2004
No of victims: 1	No of documents: 1

Map details

Longitude:	Latitude:
Alt. coord. system:	Coordinates fixed by:
Map east:	Map north:
Map scale: not recorded	Map series:
Map edition:	Map sheet:
Map name:	

Accident Notes

inadequate equipment (?)

handtool may have increased injury (?)

victim working prone (?)

Accident report

An investigation on behalf of the UN MAC was carried out and its report made available in September 1999. The following summarises its content.

The victim had been a deminer for more than four years. He had last been on leave 38 days before and had last attended a revision course three months before. The accident occurred on a road described as "hard". Photographs showed very hard packed earth under a coating

of dust. The national authorities had asked for the road to be cleared as a priority and the regional MAC in Kabul had assigned the task to a mine-dog group.

They started work two days before the accident and subsequently found many AP and AT mines (mostly Italian). No one could find any parts of the device involved in this accident but the investigators decided that the size of the blast indicated that it was a "fuse/warhead" of a UXO.

Two dogs were run over the accident site and both signalled positively. The victim started searching with a detector where they had indicated and he got a reading. He marked the spot and started to prod in a "prone" position. As he approached the second marker he paused to remove the loosened earth with his hands. [It is not clear whether he raised himself up to do this.] As he removed the soil a device exploded, amputating his thumb and two fingers on his right hand. The victim stood up after the accident.

The victim was treated in the field and evacuated to the ICRC hospital in Kabul.

The Group Leader said that the victim was working properly when the accident occurred. He said that reducing the length of each demining mission (from 60 to 45 days) would reduce the chance of incidents.

The Section Leader said the victim was working properly and that two days later they found three Iranian AT mines less than ten metres from the accident site.

A witness deminer said that the victim was working properly and lying prone when the accident occurred.

The Victim said he was working properly when the accident occurred.

A photograph of the accident site appeared to show no "crater" at all.

Conclusion

The investigators concluded that the victim did not centre his detector reading adequately and so started excavating in the wrong place. They also thought it possible that he believed he was looking for an anti-tank mine so was careless about applying pressure as he removed the soil.

Recommendations

The investigators recommended that revision courses stress the need to centralise readings and to avoid applying pressure when removing loose soil.

Victim Report

Victim number: 324	Name: Name removed
Age:	Gender: Male
Status: deminer	Fit for work: not known
Compensation: not made available	Time to hospital: not recorded
Protection issued: Helmet Thin, short visor	Protection used: Helmet, Thin, short visor

Summary of injuries:

severe Hand

AMPUTATION/LOSS

Fingers

COMMENT

See medical report.

Medical report

No formal medical report was made available.

A photograph of the victim showed his right hand bandaged but with most of the damaged digits still in place. Surgical amputation presumably occurred later and it is possible that only parts of the fingers were removed.

Analysis

The primary cause of this accident is listed as "*Unavoidable*" because there is no evidence to suggest that the victim was working improperly and it is not known how "detectable" the device which exploded was.

The fact that it is common for deminers to use their left (other) hand to sweep away loosened soil may be relevant. The left hand is then directly over any deeply buried device that may now be sensitive to detonation. While injuries at this stage of clearance are rare, the provision of a long handled trowel or scraping tool to remove the spoil could reduce risk.

The continued use of a short bayonet in Afghanistan (often with a gardening-glove issued for the left hand) ignores tooling advances made in other theatres. While some trials on university-designed equipment have been made in the region, none had been made using the tools found appropriate in other theatres as of September 1999.